

Issue (pages)

2,2'-azobis(2-amidinopropane) dihydrochloride (AAPH)	1 (85–88)
ability, leavening	3 (205–217)
acid,	
lactic	3 (270–274)
phenyllactic	3 (270–274)
acids,	
fatty	1 (9–20), 2 (171–178)
omega-3 fatty	4 (314–322)
activity,	
antimicrobial	3 (270–274)
paraoxonase	4 (314–322)
radical-scavenging	1 (85–88)
adolescents	3 (195–204)
adulteration	4 (281–288)
adults	2 (113–121)
amines, biogenic	3 (270–274)
analysis,	
cluster	3 (229–238)
mid-infrared with Fourier transformation (FTIR)	4 (281–288)
multivariate	2 (179–183), 4 (298–307)
principal component (PCA)	3 (229–238)
anthocyanins	2 (101–112), 4 (365–378)
antioxidants	4 (346–353)
avenanthramides	4 (346–353)
bacteria, lactic acid	1 (62–68)
bacteriophage	1 (62–68), 2 (122–127)
beverages	4 (298–307)
biphenyls	1 (50–61)
bread, making	1 (69–78)
bryndza	3 (239–251)
buckwheat	2 (179–183)
buffer	1 (1–8)
<i>Byrsonima ligustrifolia</i>	4 (365–378)
canning	2 (171–178)
capacity, antioxidant	2 (155–164)
carbohydrate	2 (179–183)
carotenoids	2 (155–164)
casein	3 (218–228)
cathelicidin	2 (122–127)
cereals	4 (354–364)
claims, health	2 (93–100)
codon, premature stop	1 (79–84)
colour	2 (128–141), 2 (142–154)
composition	4 (281–288)
chemical	4 (323–333)
compound,	
aroma	2 (128–141)
phenolic	2 (155–164), 4 (365–378)
consumption,	3 (195–204)
food	1 (21–30)
control, bread quality	2 (179–183)
cooking, alkaline	2 (155–164)
<i>Cronobacter</i>	2 (122–127)
databases, food composition	2 (93–100)

KEYWORDS 2015

design, simplex-centroid	4 (365–378)
diet	3 (260–269)
differences, gender	3 (195–204)
dioxins	1 (50–61)
disease,	
cardiovascular	2 (101–112)
celiac	4 (354–364)
diversity, microbial	3 (239–251)
drying,	
convective	2 (142–154)
osmotic	2 (142–154)
electrophoresis, pulsed-field gel (PFGE) ..	3 (252–259)
elements	3 (229–238)
emission, acoustic	3 (275–279)
enzyme	2 (128–141)
epitope	1 (1–8)
<i>Escherichia coli</i> ,	1 (89–92)
outbreak O104: H4	1 (89–92)
verocytotoxin-producing	1 (89–92)
<i>Euterpe edulis</i> Mart.	2 (101–112)
exopolysaccharide	3 (185–194)
expenditure	1 (21–30)
extraction	2 (101–112)
fermentation	4 (354–364)
flour,	
coconut	1 (69–78)
flaxseed	1 (69–78)
hemp	1 (69–78)
chestnut	1 (69–78)
wheat blends	1 (69–78)
fluorescence, synchronous	4 (298–307)
food	1 (50–61), 1 (79–84)
fruits, fresh	2 (113–121)
furans	1 (50–61)
globulin, 7S	1 (41–49)
glycoalkaloids	1 (9–20)
grains, cereal	3 (275–279)
gum, xanthan	3 (185–194)
hydrocarbons, polycyclic aromatic	4 (289–297)
hydrogen peroxide	3 (270–274)
cheese,	3 (218–228), 4 (308–313)
ewes'	3 (239–251), 3 (252–259)
chocolate	4 (289–297)
chromatography,	3 (218–228)
GC-MS	2 (179–183)
HPLC	4 (365–378)
identification	4 (308–313)
immunolabelling	1 (1–8)
income	1 (21–30)
infant formula, powdered	2 (122–127)
inhibition, proteinase	4 (346–353)
internalin A	1 (79–84)
<i>Lactobacillus</i>	3 (270–274), 4 (308–313), 4 (354–364)
<i>Lactococcus</i>	4 (308–313)
land, primary agricultural	1 (21–30)
light, ultraviolet	1 (85–88)

- lipoprotein, high-density 4 (314–322)
- Listeria monocytogenes* 3 (252–259)
- maize 2 (155–164)
- meat 2 (165–170)
- meat-eater 3 (260–269)
- method,
- cryoscopic 4 (281–288)
- Quick Easy Cheap Effective Rugged Safe (QuEChERS) 4 (289–297)
- rapid 4 (308–313)
- microbiota 3 (260–269)
- microextraction,
- dispersive liquid-liquid (DLLME) 4 (289–297)
- milk 3 (218–228)
- goats' 3 (270–274)
- raw ewes' 4 (281–288)
- raw 1 (62–68)
- minerals 2 (113–121)
- morphology, yeast 3 (205–217)
- mulberry 2 (128–141)
- niacin 2 (155–164)
- nuggets, chicken 4 (334–345)
- nutrition 3 (195–204)
- oat 4 (346–353)
- optimization, extraction 4 (365–378)
- origin, geographical 3 (229–238)
- oxidation, lipid 1 (31–40)
- oxysterols 1 (31–40)
- phytosterol 1 (9–20)
- Pichia anomala* 3 (205–217)
- point, freezing 4 (281–288)
- pollen, bee 4 (323–333)
- polyphenol 2 (128–141)
- powder,
- egg mixed 1 (31–40)
- milk 1 (31–40)
- preferences, food 3 (195–204)
- processing,
- food 1 (9–20)
- high pressure 4 (334–345)
- production 3 (185–194)
- profile, nutrient 2 (93–100)
- properties,
- mechanical 2 (142–154), 3 (275–279)
- thermal 1 (41–49)
- protein 2 (165–170)
- pseudocereal 4 (354–364)
- quality, 3 (185–194)
- food 2 (93–100)
- quince 2 (142–154)
- reaction, polymerase chain (PCR) 2 (165–170)
- recall, 24 h 2 (113–121)
- replacement, NaCl 4 (334–345)
- resonance, electron paramagnetic (EPR) 1 (85–88)
- retrogradation 1 (41–49)
- salt/sodium, low 4 (334–345)
- sardine (*Sardina pilchardus*) 2 (171–178)
- self sufficiency, food 1 (21–30)
- serogroup 1 (89–92)
- serogrouping 3 (252–259)
- shelf life 4 (334–345)
- Slovakia 1 (50–61)
- Slovenia 2 (93–100), 4 (323–333)
- Solanum macrocarpon* 1 (9–20)
- soya 2 (165–170)
- soybean 1 (41–49)
- spectroscopy,
- Fourier transform infrared (FTIR) 4 (281–288),
- 4 (308–313)
- inductively coupled plasma optical emission (ICP-OES) 3 (229–238)
- sprouting 2 (155–164)
- starch, maize 1 (41–49)
- sterilization,
- high pressure thermal 2 (171–178)
- retort 2 (171–178)
- storage 1 (31–40)
- stress, oxidative 4 (314–322)
- supply, food 2 (93–100)
- systems, phage defence 1 (62–68)
- tests, compression 3 (275–279)
- tocopherols 2 (155–164)
- tolerance, stress 3 (205–217)
- Torulaspora delbrueckii* 3 (205–217)
- tryptophan, free 4 (323–333)
- tuna (*Thunnus albacares*) 2 (171–178)
- typing, molecular 3 (252–259)
- unmasking 1 (1–8)
- value, nutritional 4 (323–333)
- vegetables, green leafy 1 (9–20)
- vegetarian 3 (260–269)
- virulence 1 (79–84)
- vitamins 2 (113–121)
- volatiles, aroma-active 3 (239–251)
- wines, Croatian 3 (229–238)
- Xanthomonas campestris* 3 (185–194)
- yeast, baker's 3 (205–217)
- yoghurt 3 (218–228)